


























Job Reference of PIE Ozonation

End User		Trade	Jobs	Completed by
Shangri-La Hotel Qingdao, China		Hotel	➤ Ozone system for Kitchen Rinsing	2007
Vegetable Marketing Organization		Vegetable Marketing	➤ Ozonated water system for vegetable rinsing	2007
Novel Tech Enviro Ltd.		Environmental Protection Facilities	➤ Ozone gas for the de-odor new decoration area	2007
The Chinese University of Hong Kong		University	➤ Ozone system for Cooling Tower	2007
深圳市正章干洗有限公司		Laundry	➤ Ozone system for Laundry	2007
Four Points Sheraton Hotel		Hotel	➤ Ozone system for Sashimi Kitchen	2007
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at the station by PIE Ozonation Injection model	2007
Jones Lang LaSalle Facility Management Services Ltd.		Management office	➤ Plant management of the existing Ozone cooling tower water treatment and to use PIE ozonation products to replace the existing malfunction ozone machines	2007








Job Reference of PIE Ozonation

TC Lawson Marketing Ltd.		Multimedia manufacturer	➤ PIE Ozonation for the treatment of cooling water for chillers	2006
The Ritz-Carlton Hong Kong		Hotel	➤ PIE Ozonation for odor removal at grease trap near the function room	2006
Sogo		Department store	➤ Ozone system for Sashimi Kitchen	2006
Guangzhou Agricultural Development Co. Ltd.		Agricultural	➤ Ozone system for irrigation and soil fumigation	2006
Buddhist Li Chong Yuet Ming Nursing Home for the elderly		Home of Aged	➤ Ozone laundry system	2006
Fit for Life Luncheon & Catering Services		Luncheon & Catering	➤ Ozone system of air and water disinfection for kitchen & freezer house	2006
Pui Ching Middle School		School	➤ Ozone machine for laboratory testing	2006
Companion Animal Federation		Non-profit-making organization	➤ Ozone machine for air disinfection and odor removal	2006
TWGHs. Women;s Welfare Club Western District HK Residential Care Home for the Elderly		Home of Aged	➤ Ozone Laundry and ozonated water rinsing at kitchens	2006








Job Reference of PIE Ozonation

The Hong Kong Polytechnic University		University	➤ Ozone machine and oxygen concentrator for the research lab	2006
Electrical and Mechanical Services Department		Government Sector	➤ Ozone monitoring and ozone destruction units	2006
Companion Animal Federation		Non-profit-making organization	➤ Ozone machine for veterinary therapy and kennel cleansing	2006
Face Art Industrial Ltd.		Cosmetic	➤ Ozone disinfection for clean room	2006
Holiday Inn Golden Mile Hotel		Hotel	➤ PIE Ozonation split diffusion type and diffusion type at Sushi room, Working room and Cool room	2006
Sheraton Hotel		Hotel	➤ PIE Ozonation split diffusion type model at Cake shop	2006
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at Olympic station sewage pump pit by PIE Ozonation Injection model	2005
Pok Oi Hospital (博愛醫院)		Hospital	➤ PIE Ozonation for air disinfection in 7 nos. clinic	2005
Tung Lum Buddhist Aged Home		Home of Aged	➤ PIE Ozonation for odor removal at kitchen	2005
Sheraton Hotel		Hotel	➤ PIE Ozonation for odor removal at BBQ Exhausted duct	2005

Job Reference of PIE Ozonation

Sheraton Hotel		Hotel	➤ PIE Ozonation for odor removal at staff Canteen kitchen	2005
Embassy of the Republic of China in Thailand		Embassy	➤ PIE Ozonation System for the disinfection of City Water – Thailand Project	2005
Aquazone New Zealand			➤ PIE Ozonation System for ozone mellowness (wine making)	2005
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at Hong Kong station by PIE Ozonation	2005
Tung Lum Buddhist Aged Home		Home of Aged	➤ PIE Ozonation for Dish Washing	2005
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at Taikoo station by PIE Ozonation	2004
Elijah Mission Ltd		N.G.O.	➤ Cooling tower water treatment by PIE Ozonation	2004
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at Wong Tai Sin station platform by PIE Ozonation	2004
Hong Kong Aero Engine Services Limited		Aero Engine Services	➤ Water Disinfection by PIE Ozonation	2004
Tung Lum Buddhist Aged Home		Home of Aged	➤ Laundry System by PIE Ozonation	2004

Job Reference of PIE Ozonation

Hong Kong Commercial Broadcasting Co. Ltd		Broadcasting	➤ Cooling tower water treatment by PIE Ozonation	2004
Possehl Electronics Hong Kong Ltd. (PE Group)		Leadframe Manufacturer	➤ Industrial WWTP up-grade ◆ Ozonation for chemical precipitation ◆ Ozonation for cyanide destruction	2004
MTR Corporation		Mass Transit Cooperation	➤ Odor removal at Central station AHU plant room by PIE Ozonation	2004
Lok Hou Fook Restaurant		Restaurant	➤ Fish tank sea water disinfection by PIE Ozonation	2004
Unilever Bestfoods Hong Kong Ltd.		Food Processing	➤ Odor removal at Industrial WWTP by PIE Ozonation	2004
Possehl Electronics Hong Kong Ltd. (PE Group)		Leadframe Manufacturer	➤ Indoor air disinfection by PIE Ozonation	2004
Possehl Electronics Hong Kong Ltd. (PE Group)		Leadframe Manufacturer	➤ Cyanide vapor destruction by PIE Ozonation	2004
Possehl Electronics Hong Kong Ltd. (PE Group)		Leadframe Manufacturer	➤ Using ozone for wastewater treatment to save chemical for precipitation process.	2004
Possehl Electronics Hong Kong Ltd. (PE Group)		Leadframe Manufacturer	➤ Water cooling tower water treatment by PIE Ozonation	2004

Job Reference of PIE Ozonation

Seed Press Ltd.	Book warehouse	➤	Book warehouse Air disinfection by PIE Ozonation	2003
Aberdeen Seafood Wholesaler	Seafood Wholesaler	➤	Ozone Disinfection System for Sea Water	2003
Lei Yun Mun Seafood Restaurant	Seafood Restaurant	➤	Ozone Disinfection System for fish tank water	2003
